

## FAST DECK

### INTERIOR AND EXTERIOR WOOD SCREWS

**Command Cap**- with reverse threading ensures countersunk everytime

**RevSet Neck**

**Hurricane Thread** storms through wood

**VelociBore Tip** ensures screw enters where you want it

Fast Deck's Spiral Set countersunk head design always finishes flush with the surface. No burrs and no mushrooming.

The special Hurricane Thread design enhances the stability and safety during drilling while also reduces the fatigue of the installers and increases the working efficiency by 60%. It can also increase usage between charging for battery operated tools.

Low driving torque and high holding power reduces the wood splitting even when drilling close to the edge.

- ✓ **Low driving torque and high holding power**
- ✓ **Quick start and fast penetration**
- ✓ **No splitting near timber edge**
- ✓ **Easy and clean countersinking without burrs and mushroom**

Torx/ Star Drive



## FAST DECK BESTBORE INTERIOR WOOD SCREWS



Torx/ Star  
Drive



RevSet  
Neck



Hurricane  
Thread



Veloci Bore  
Tip

**POINT:** Veloci Bore Tip  
**DRIVER:** Torx/ Star Drive  
**HEAD:** Command Cap  
**COATING:** Yellow Zinc  
**APPLICATION:** Pressure Treated Wood

SIZE	STOCK NUMBER	SUPPLIER ID	PCS approx.	UNIT
8 X 1-1/2"	1510-60-48579	FD8148016	164	1lb
8 X 1-1/4"	1510-60-48578	FD8128016	190	1lb
8 X 1-3/4"	1510-60-48580	FD8168016	146	1lb
8 X 2"	1510-60-48581	FD8200016	131	1lb
9 X 2-1/2"	1510-60-48583	FD9248016	101	1lb
9 X 2-1/4"	1510-60-48582	FD9228016	117	1lb
9 X 3"	1510-60-48584	FD9300016	84	1lb
10 X 3-1/2"	1510-60-48585	FD10348016	63	1lb
8 X 1-1/2"	1510-60-48587	FD8148056	822	5lbs
8 X 1-1/4"	1510-60-48586	FD8128056	953	5lbs
8 X 1-3/4"	1510-60-48588	FD8168056	734	5lbs
8 X 2"	1510-60-48589	FD8200056	659	5lbs
9 X 2-1/2"	1510-60-48591	FD9248056	508	5lbs
9 X 3"	1510-60-48592	FD9300056	421	5lbs
10 X 3-1/2"	1510-60-48593	FD10348056	315	5lbs

## FAST DECK BESTBOAR EXTERIOR WOOD SCREWS



Torx/ Star  
Drive



RevSet  
Neck



Hurricane  
Thread



Veloci Bore  
Tip

**POINT:** Veloci Bore Tip  
**DRIVER:** Torx/ Star Drive  
**HEAD:** Command Cap  
**COATING:** 1000 HR Ceramic Coating  
**APPLICATION:** Pressure Treated Wood

SIZE	STOCK NUMBER	SUPPLIER ID	PCS approx.	UNIT
8 X 1-1/2"	1510-60-48595	FD8148011	164	1lb
8 X 1-1/4"	1510-60-47845	FD8128011	190	1lb
8 X 1-3/4"	1510-60-47846	FD8168011	146	1lb
8 X 2"	1510-60-47847	FD8200011	131	1lb
9 X 2-1/2"	1510-60-47849	FD9248011	101	1lb



SIZE	STOCK NUMBER	SUPPLIER ID	PCS approx.	UNIT
9 X 2-1/4"	1510-60-47848	FD9228011	117	1lb
9 X 3"	1510-60-47850	FD9300011	84	1lb
10 X 2-1/2"	1510-60-48601	FD10248011	84	1lb
10 X 3-1/2"	1510-60-47851	FD10348011	63	1lb
10 X 3"	1510-60-48602	FD10300011	83	1lb
10 X 4"	1510-60-47852	FD10400011	56	1lb
8 X 1-1/4"	1510-60-47855	FD8128051	953	5lbs
8 X 2"	1510-60-47857	FD8200051	659	5lbs
9 X 2-1/2"	1510-60-47859	FD9248051	508	5lbs
9 X 2-1/4"	1510-60-47858	FD9228051	585	5lbs
9 X 3"	1510-60-47860	FD9300051	421	5lbs
10 X 2-1/2"	1510-60-48612	FD10248051	421	5lbs
10 X 3-1/2"	1510-60-47861	FD10348051	315	5lbs
10 X 3"	1510-60-48613	FD10300051	366	5lbs
10 X 4-1/2"	1510-60-48616	FD10448051	241	5lbs
10 X 4"	1510-60-47862	FD10400051	280	5lbs
10 X 5"	1510-60-48617	FD10500051	231	5lbs
10 X 6"	1510-60-48618	FD10600051	197	5lbs
8 X 1-1/4"	1510-50-967772	FD8128251	4,768	25lbs
8 X 1-3/4"	1510-50-967774	FD8168251	3,673	25lbs
8 X 2"	1510-50-967732	FD8200251	3,299	25lbs
9 X 2-1/2"	1510-50-967777	FD9248251	2,544	25lbs
9 X 2-1/4"	1510-50-967776	FD9228251	2,925	25lbs
9 X 3"	1510-50-967735	FD9300251	2,109	25lbs
10 X 3-1/2"	1510-50-967736	FD10348251	1,578	25lbs
10 X 3"	1510-50-967780	FD10300251	1,830	25lbs
10 X 4"	1510-50-967782	FD10400251	1,401	25lbs

